

# तकनी कि

(48) आवर्तनशील ऊर्जा - कानपुर\_c

File No. \_\_\_\_\_

सोलर ऊर्जा

आवर्तनशील ऊर्जा

कानपुर

Name

Address

Subject

From

To

Laminated Cobra File

No. 600

Ganga

1. पशु चिकित्सा - 25/8/07 (झरपोटी)

(48) आवर्तनशील ऊर्जा - कानपुर\_c

earning that you

he got in

Dated  
25/07

~~प्राप्त होने के लिए आवश्यक है कि व्यक्ति अपने जीवन में निरंतर प्रयास करे।~~  
~~यदि व्यक्ति अपने जीवन में निरंतर प्रयास करे, तो वह अपने जीवन में सफल हो सकेगा।~~  
~~यदि व्यक्ति अपने जीवन में निरंतर प्रयास करे, तो वह अपने जीवन में सफल हो सकेगा।~~

### विचार दाय

~~यदि व्यक्ति अपने जीवन में निरंतर प्रयास करे, तो वह अपने जीवन में सफल हो सकेगा।~~

- प्रकृति में सभी अवस्थाओं के लिए उनके अनुकूल रणनीति बनायी है।
- सभी पशुओं को उनकी स्वभाव के अनुसार घाला, भाँस, इत्यादि उपलब्ध है।
- मानव को अपना अपनी आवश्यकताओं के अनुसार पूरा करता है। जब पशुपति से माँदूँ और फल रचना शुरू करता है तो एक लगभग बड़े पशु को खाँ देता है तो फिर पुनः ~~पशुओं~~ पशुओं के दूध की जरूरत कम होती है, पशुओं को दूध तो पशुओं के लिए होता है उनके पालन में वह तत्व उन्हीं शरीर के विकास के लिए होता है। उनके शरीर शीघ्र बढ़ते हैं यही माँदूँ बड़े दूध को ~~विकास~~ उसी प्रकार होता है, एक लगभग बड़े जानवरों को मिली माँदूँ का अपना दूसरी अलग प्रजाति चीजों है अपने शरीर की जरूरतों को पूरा करता है तो फिर आदमी को कम ~~विकास~~ के लिए जानवरों के दूध पर निर्भर रहना पड़े रहा है।

- मानव ~~पशुओं~~ के आकार से उपलब्ध है इसलिए खेती के लिए भी पशुओं को है, इसका कारण, वह उपमांगी होता है लेकिन जिस पशु को खाँ के रखना होता है उपमांगी है उसने अपने खाने रखने की व्यवस्था होनी चाहिए चारे की जरूरत व्यवस्था है। दूध की निरंतरता नहीं, अगर ~~मानव~~ प्रजाति में फल, लागू की है।

~~and that's what I'm trying to say~~ I'm a really interested in  
the whole thing and happy, hope you are also interested.  
I've been thinking about the whole thing and  
how much it interests about 'Gutted' and how  
it will be read at the end of the day.  
I'm not important in the subject. I understand  
the whole thing, 'Gutted' is a very good  
book. I'm not negative feeling, I'm doing  
the person

अनन फुल

पिता की 1914, नियन्त्रण पाया, 1916 - 24 वर्ष

(1)

~~अभ्युदय संस्थान की कार्यवाही~~

⇒ इसी गाँव पर अभ्युदय संस्थान अदालत में हमने पिछले सप्ताह की प्रार्थना कार्य जो सफल हुए निम्नलिखित हैं:

1) गाँव की ज्वर है, जान पर और लप कब है ज्वर साबान्त है।  
दोनों ही स्थितियाँ हैं:

उपचार 1) प्रार्थना पत्ती = 16, लंगलापान = 5, तुलसी पत्ती = 75  
काली मिर्च = 25 टन

2) पानी (रक्त वर्तन में) / 750ml पानी (कलर में) धीरे धीरे आंच पर कलर 250ml रहने तक तैयार हो। 2 बुरान की 2 से 3 बार।  
स्थिति अनुसार पिलाया और लाभ में निम्नलिखित रस की 5 गाली  
जिसी भी 2 बुरान में 1 बार दिन में दिया गई सप्ताह में लाभ करने का  
कहि 05 दिन की स्थिति में भी दिया जाय।

उपचार 2) आपाग/पिराच/लज्जरी का पूरा पाँदा जड़ सूखे लेंकर  
जड़ का इन्ड्रेशन करके और पूरे पाँदा को साफ-2 इन्ड्र  
करें। 1 1/2 घंटा पानी में 50 तुलसी पत्ती जलाकर  
500ml रहने तक पकाया। इसी 2 बुरान दिन में दो बार  
निम्नलिखित रस के साथ (5 गाली रसवार) दिन भर लाभ हुआ  
नोट: निम्नलिखित रस की गालियाँ को ज्वर उल्टी स्थिति में प्रयोग  
किया जब ज्वर आँख लगा आ फिर 1 बुरान कहि की दिन के बाद  
भी स्थिति सामान्य नहीं हुई अन्तर्गत गाली निम्नलिखित रस  
की नसे दी गयी। 25 टन लाभ

1A) <sup>②</sup> बर्फा को ज्वर दान की स्थिति में या सामान्य सतप नत्र रदन की स्थिति में :

उपचार : पोरजात पत्ती = 1, अंगुष्ठापान पत्ती = 1  
 तुलसी पत्ती = 25, काली मिर्च = 5 दान  
 पानी = 3 कप चाय बाल

पत्ती को अच्छे से कुल्लर पकाया। 1 कप रदन पर 1 से 2 गीली त्रिफल को रस की, इस 12 घण्टा के साथ दिन में 3 बार दिया।

3. दस्त दान की स्थिति में :

मांस को : 509 gm अजवाइन गुनार, शकर दिया रस दिन में 3 बार दिया लाभ हुआ, गड़ के साथ में।

बर्फा को : लाल अदरक 2 अजवाइन गुनी कुटी गड़ के साथ 59 gm गड़ के साथ दिन में 4 बार, नौक दान की स्थिति में दिन में 4 बार।

बर्फा को जो उन्नीस अथा हो

और 1 सप्ताह के अन्दर : अजवाइन की मात्रा 10 से 159 gm

रस स्थिति में ठीक दान पर नौक का प्रयोग करें :

309 gm अजवाइन + 1 1/2 ल पानी + 3 कूटे पदार्थ लाभ फल 1 1/2 कप रदन तक पकाया जाय और 1 1/2 कप तीन बार दिया जाय आराम जाता है।

found out details from

पत्नी वस्त्र वस्त्रों का 5 रु. 6 रु. दूध गुड़ पर (लगभग) 3  
5 मिनट 15 न म 3 से 4 बार ले लाया जाता है

3) खूनी दस्त की रीति रीतें :

1. 1. : 15 लक्षी गिरी दूधरा कुत्तर + 75 पत्नी अंगराज दाना की  
गोली बनकर दिया ता सतीन खुराक की ही आराधना किया

बर्फ पर जो 6 गीन से दही : 3 लक्षी गिरी + 15 पत्नी अंगराज दाना की  
गोली बनकर देन से लाया हुआ

जो बर्फ 6 गीन से अपर दः 5 लक्षी गिरी से 100 लक्षी गिरी आवस्था कुत्तर  
+ 30 अंगराज पत्नी गोली बनकर देन से  
लाया हुआ / (3 पक्ष रस)

4) पेगाव से खून आने पर : ऐसा हमारी गीता का री 1 बार ही 1 गोत्र  
के साथ हुआ इतना पेगाव से खून आना  
रुख हुआ और 1 दिन बाद ही खून  
ही सफ आने लगा मात्र खून की खगरी  
चार ही दिनों में साथ लगे हुए दोगरी  
खाना हाई दिया हज उल्लेखीन की आशा  
भी हाई चक री

दूसरे 1 दिन से हजने उपचार री : बड़ी दूध की पत्नी 50 gm कुत्तर  
लुगदी बनकर + 5 gm तन पर  
फिकरी कुत्तर उल्लेखीन 1 दिन में  
तीन से चार बार दिया आराधना नहीं किया

learning that you wished to electrify your house using solar energy, he got in

(4)

तीसरे दिन मैं: हमने इस स्वरण को हर 1 से 2 घंटे के अंतराल में देना शुरू किया ~~किया~~ दिन में 15 से 20 बार दिया क्योंकि काफी लम्बा है। चुकी थी साब्र मैं दिन में दो बार 15 से 20 गुना साँस भी देते थे। दिन में दो बार कोढ़ भी जो प्वर की है। साँस में लाभ आता है। ऐसा करने से साँस दिन से ठीक होना शुरू हुई और 1 हफ्ते में बिल्कुल स्वस्थ हो गयी उस समय बस्युक्त इलाज ही किया गया। 1 हफ्ते बाद 2 से तीन दिन तक उपर्युक्त स्वरण बिना सोने के दिन में दो बार देते रहे।

### 5). खांसी और हार्ल बुंद के ज्वर होने पर:

आपात्राग का पूरा पाँचा जड़ साँस इलेक्ट्र 1 1/2 पानी (स्वस्थ बालन की है।) 750ml पानी (स्वस्थ की है।) 1/2 से 2 घंटे तक पलाया जाय। साथ ही: यही स्वरण दिन में दो बार ठीक होने तक बंधी जाय। यही स्वरण 5-15 ml, 10-10 ml करके दिन में 3 बार दिया जाय। आश्रम मिलता है।

touch in various

s from

6) अनी के फर्न पर ठंड में : गाय का घी + लहसी चुर्न <sup>(5)</sup> मिलाकर  
 लप बनाई उसका इस्तेमाल दुधने के  
 बाद अनी पर करें, दिन में भी  
 2 बार कर सकते हैं अगर गाय  
 लम्बलती है।

7) अनी में चोट से कट जाने पर : i) अगगाध की फली का रस लगाने  
 से ठीक होता है।  
 ii) बनोडजार की फली का रस लगाने से  
 भी ठीक होता है  
 iii) दोनों मिलाकर लगाने से भी ठीक होता  
 है।

~~इस लक्षण के~~ इस मिलावट के लिए पानी का इस्तेमाल  
 न करें पत्तियों के छेदों से रस निकलता है  
 साफ-सुथरे पत्थर पर ही करें।  
 रस लगाने के बाद इस पर हई का बरतन  
 फाटा लगा देने से छिपका रहता है, उस जगह  
 स्थान पर गाबर नहीं लगता, अच्छी चरी  
 खाती है। जल्दी ठीक होता है।

8) अनपर फुंसी हाँस की स्थिति में : गोघृत = 35g, लहसी चुर्न 12g  
 लहसा नमक चुर्न = 9g

नीना के लप बनाई रखते, इसका दिन में चार बार कम से कम  
 लगाई रस 3 दिन में ही फुंसिया इकट्ठा होती है, और नहीं निकलती है।

learning that you wished to electrify your house using solar energy, he got in

(6)

9). भनसूँ सूजन आन पर: चिरायल पुरा पाँधा जइ सौंदर + अग्राज पत्नी  
पाँधा पत्नी जइ के 25 पानी में 250ml  
रदन तक पलाजाई, ठंडा करके 250 मिनि  
पिलाया जाय एला पैन में दो बार ठंडा कर  
तक पिला जाय। इस सुझाव में 1259m बाँधी  
भी मिले।

10). भनसूँ सूजनी दान पर: रवान वत्ता नुना + शहर की बलद्वज  
बनाने लगेगी जाय भांडा देर ~~मिले~~  
इस लप की लगेकर इस स्थान पर  
बाँधी बाँधी रगड़ जाय कुछ दिनों में ठीक  
हो जाता है।

11). भनसूँ सूजन दान पर जिसका अर्कला शींगू नदत है लगी. 2 दूध  
में छेड़ें भी आते हैं दूध बकबुल हो जाता है यह गाँवों में  
सबसे अधिक होता है जिसका ठीक करने नुसती होती है इलाज  
शीघ्र नहीं दान पर भनसूँ में गाँव यज्ञ जाती है भन बंद हो  
जाते हैं, गाँव की बहुत ही पीड़ा होती है इस पर अब तक  
क बहुत बार बहुत गाँव पर हमने उपचार करने देना  
उम्मीद से ज्यादा ही पारंगत आया गाँव में 25 3 बार में ही  
ठीक होनी और दूध भी मानव उपयोगी रहा ऐसा में देखा है।

उपचार: चिरायल/आपगर्भ का। पुरा पाँधा जइ सौंदर शल्ले 3 लगे  
75 लगी पत्नी 5 लगे 1 1/2 ल पानी में 500ml रदन तक  
पलाया जाय पैन में दो बार ठंडा करके 3 बार ठंडा करके  
250 मिनि पिला पिला जाय।

अगर अच्छा तैयार पाँधा नहीं मिलता है तो 3 से 4 पाँध

learning that you wished to electrify your house using solar energy, he got in touch in various

लेकर उर्वर 2 गाँवों का इस्तेमाल करे इन्होंने काम दिला है।  
यह समझा न आये जनने के बाद 31 जन यह जाति दिया ही जाये। (7)

12). हड्डी इटने पर : एक 1 साल की बालिका घर पुर्खांग लिया था  
31 की हड्डी इटने बाद 1 महीना आये थी  
और 2014 में ही जी दोगयी थी।

उपचार: पहले सही दवा ले बैठाया, घाव को साफ़ कर ले दया, पीसा  
फिर बुराई के पत्ते, फल, फूल जड़ सबको गिलाकर लप लगाया  
लप को लगाकर नई से बांध दिया, बाँध की रूपरेखा, फल 2  
कलकर, 23 साल से लपेदार हट्टे में स्थान पर ठीक से लपेट दिया  
ताकि वह स्थान सूखने न पाये, फिर उल्लेख "हड्डी मही"  
को लगाए गए कर दिया हड्डी दावारा लप बंधे करना पड़ा  
वै बाँधना ठीक हो गयी।

13) दाँत बहड़ों के जाँच राँग: इस स्थान को हमान नदरे पर यहाँ  
कीड़े पड़ जाते हैं जिससे बहड़ों की  
मृत्यु हो जाती है।  
जनने के तुरंत 2 से 3 घंटे बाद ही दन्दीय  
को लपे करना आवश्यक है, ~~कर कर~~  
स्थान अनुसार लगाते हैं।

14) दाँत बहड़ों का महत्व कमजोर नप (2) कुछ बहड़ें दूध नहीं प्या पाते  
एक बहड़ों को धीरे धीरे गूदा  
1 चम्मच 1 दिन में 6 बार दिन से  
लाभ मिलता है या फिर 1/2  
की 1-1 गाली दूध पीने के बाद दें।

1 माह के बच्चे को 1-1 गाली सुबह गात्र  
3 माह के बच्चे को 2-2 गाली  
4 माह के बच्चे को 3-3 गाली  
ठीक हो जाना बाद

OF people

(8)

15) लहसुन की चकली के जल संस्करण: अलसी का तेल 5ml दवाखाने  
 दिन में तीन बार दवाखाने  
 है।

3 माह के अपर लहसुन = 10ml - 10ml

6 माह के अपर " " = 50ml

16) आंखों में infection होने पर: आंखों में लगे लोचन की वजह से  
 लावधानीपूर्वक धोकर फिर इलाज  
 करना चाहिए।

100ml गुलाबजल + 5gm फिटोनी  
 तब पर काली हरी बारीक कटलें आंखों में  
 रखने के बाद बारीक कटलें में भस्म को  
 घोलकर इलाज प्रयोग करने से 5 से 6 बार  
 करने से आराम मिलता है।

• लहसुन की फली का रस भोजन साफ पानी  
 डालकर, पत्र पर धिक्कर भोजन करने  
 से रस को भी प्रयोग करने देखा है  
 आराम मिलता है दिन में 3 से 4 बार।

~~अधिक मात्रा में भोजन के बाद अलसी का तेल~~

Other details are the following in

9

### 17). गाय जनन के बाद गर्भाशय को ठीक से साफ करना :

कारण लंबे समय का समय से पहले जनन पर आवर ठीक से नहीं मिलती या कभी इट जाती है। ऐसी स्थिति में अंदर सड़न पैदा होती है। जब भी गाय गर्बर पैदा करता है तब तब बदबूदार मसाला पदार्थ मिलता है, गर्भाशय में मल/वर्तिका फैलता है, सूजन हो जाती है, समय से अमांजन भी नहीं होता।

उपचार : रीता अगले की फली = 250g, धान की चूली = 125g, लौंग 21, इत जूनी में पलाया जाय 1.5 से 2 से ली। इस लोह को ठीक से नल पिनाया जाय।

ऐसा मैंने 3 गाओं पर किया व मां के इन्को ही अच्छी तब ऐसी समस्या हुआ थी आशय मिला था।

### 18). बार-2 गर्भपात होना या समय से पूर्व बच्चा का जनन :

उपचार : लंबुत की गंद का चुर्न 25g, गुड़ के साथ मिलाकर दे। गर्भपात के तीन दिन पश्चात दे तीन दिन लगातार दे। समय पर नहीं दे पाये हैं तो जब भी दे तीन दिन लगातार दे। 7 दिन तक आपाओ को काढा भी पिनाते रहे सम्भालना भी नहीं रहती।

ऐसा मैंने 5 गाओं पर किया सफलता मिली कारण यह समस्या उन गाओं में नहीं आयी।

(10)

~~19) श्वर में कोई हो जाना पर :~~

19) श्वर में कोई हो जाना पर : कारण: जब भी धाव दाताई हुआ नही जान पता, अन्तही कोई वजह होती है जो धाव को ठीक नही होने देता।

धाव को ग्राह्य ले धावकर

1). यदि धाव है : भगवान् की पत्नी को लोभ लगाने रहे पही बांधने रहे और फिनायत का हलका हर्ष भी करते रहे ताकि अन्तही न लगे।

2). यदि कोई फल गये है : धाव को फिनायत गाली ले धावकर भगवान् की पत्नी, सीतामता की पत्नी को ग्राह्य के लोभ लेते रहे इसको धाव पर लगाने रहे पही बांधने, फिनायत का हर्ष जरूर करते रहे।

नोट : लोहा को 24 घंटे के अंतराल में ही प्रयोग करना है।

• लोहा जब भी ग्राह्य को पिलाना है तब मात्र को ~~किसी~~ जीभ पर रखकर धीरे 2 घंटे, एक साथ उठाने से ग्राह्य को नुकलीफ जाती है।

• जब भी लोहा बरखी को पिलाना है लोहा अंगुली जैसी अकार को हड़तालकी मात्र धनोले आगे से झुकी न हो, जब लोहा फिनायत जीभ पर रखकर धीरे 2 घंटे, उठाने से फलदाई में जान का स्वतंत्र रहता है।

२०) गमिजनन के बाद उसकी प्रतिशोधन शक्ति के रूप में आधिकारिक  
वस्तुमान कहते हैं इस प्रकार है: काफी कम मात्रा में है इसी को  
स्वस्थ रखने में :

100gm के लिए

|          |            |            |            |
|----------|------------|------------|------------|
| गमिजनन   | 15gm 15%   | धान        | 12gm 12%   |
| अजवन्त   | 12gm 12%   | फिटकरी     | 5gm 5%     |
| कालीनमल  | 5gm 5%     | काली मिर्च | 5gm 5%     |
| साँठ     | 15gm 15%   | हींग       | 1/2gm 1/2% |
| अमि/कादी | 18gm 18%   |            |            |
| संथानमल  | 5gm 5%     |            |            |
| साँफ     | 5gm 5%     |            |            |
| जीरा     | 7.5gm 7.5% |            |            |

जनन के बाद इसका मात्रा 50-55gm देते हैं 3 से 4 दिनों तक  
उसके बाद इसे ठीक 50gm 3 दिनों तक  
लाभ मिलता।

Param Pujya Baba,

Sadar Pranam!

Since meeting you, Sambhav has been fired with the idea of the use of 'crime free energy' and decided to carry out some work in this field. On learning that you wished to electrify your house using solar energy, he got in touch in various manufacturers of solar cells and found out details from them. I am enclosing some quotes and other details for your reference. Other details are enclosed in the quotation but please keep the following in mind.

1. Solar technology is evolving very fast and large number of people across the world are coming up with new products, ideas and making the whole proposition more and more viable every day.
2. However for your house it may be more desirable to go for a technology which is robust, proven in India and cost effective.
3. Out of the four technologies which are fairly well commercialized all over the world viz. Mono crystalline, Poly crystalline, Thin films and High Concentrators; only mono and poly crystalline is proven fairly well in India. We have not taken quotation from any of the other two technology vendors as they are not either available or not approved by MNRE in India which gives subsidy for the power plant AS PER OUR INFORMATION UPTIL NOW. Importing the equipment also has its own risk of reliability and after sales service.
4. Other technologies barring for the above four do not seem to be at a stage where they can be practically used for your house. Please understand that this is as per our understanding only. We have also not evaluated any other renewable source of energy barring for solar photovoltaic panels.
5. Solar technology at the moment is modular and can be made to carry almost any load. There are examples of power plants successfully running which have capacities of over 5 Mega watts. The critical thing is cost, efficiency and other constraints like space while deciding the size of plant we wish to install.
6. For your house we have assumed the load that is enclosed in the quotations. In case of any changes in this please let us know and the designs can be modified accordingly. At the moment we have eliminated the water pump as its replacement would be very costly. We can do this in the second phase.

Param Puja Baba,

Sadar Pranam!


Since meeting you, Sambhav has been fired with the idea of the use of 'crime free energy' and decided to carry out some work in this field. On learning that you wished to electrify your house using solar energy, he got in touch in various manufacturers of solar cells and found out details from them. I am enclosing some quotes and other details for your reference. Other details are enclosed in the quotation but please keep the following in mind.

1. Solar technology is evolving very fast and large number of people across the world are coming up with new products, ideas and making the whole proposition more and more viable every day.
2. However for your house it may be more desirable to go for a technology which is robust, proven in India and cost effective.
3. Out of the four technologies which are fairly well commercialized all over the world viz. Mono crystalline, Poly crystalline, Thin films and High Concentrators; only mono and poly crystalline is proven fairly well in India. We have not taken quotation from any of the other two technology vendors as they are not either available or not approved by MNRE in India which gives subsidy for the power plant AS PER OUR INFORMATION UPTIL NOW. Importing the equipment also has its own risk of reliability and after sales service.
4. Other technologies barring for the above four do not seem to be at a stage where they can be practically used for your house. Please understand that this is as per our understanding only. We have also not evaluated any other renewable source of energy barring for solar photovoltaic panels.
5. Solar technology at the moment is modular and can be made to carry almost any load. There are examples of power plants successfully running which have capacities of over 5 Mega watts. The critical thing is cost, efficiency and other constraints like space while deciding the size of plant we wish to install.
6. For your house we have assumed the load that is enclosed in the quotations. In case of any changes in this please let us know and the designs can be modified accordingly. At the moment we have eliminated the water pump as its replacement would be very costly. We can do this in the second phase.

7. Your house would need a solar power plant of about 3 Kwatts. The plant will have an inverter which will convert the DC current the PV panels will generate into AC power. A battery backup which can run the entire system for one day on full charge will also be installed (the quotation of M/s USL assumes two days of backup).
8. Normal fans running on AC current are of 80 watts. All the fans will have to be replaced with 50 watts AC fans made by Havells Company. Each of these fans cost about Rs. 1,200/-.
9. All lights will be replaced with 15 watt CFLs. This would not entail any change in the fittings and only the bulbs or tube lights will be replaced.
10. No major changes in electric wiring will be required in your house. The inverter will be connected to the main line. The quotations have taken the cost of this extra fittings and wiring in them.
11. As per initial information we have that in Madhya Pradesh the subsidy on this is upto Rs. 1,50,000/K watt. Thus our unit will be eligible for a subsidy of upto  $3 \times 1,50,000 = \text{Rs. } 4,50,000/-$ . This amount will be reduced from our cost on receipt of the subsidy.
12. An open shadow free roof area of about 500 sq feet will be required to install the above plant.
13. A small covered area of about 50 sq feet will be required to house the battery and the inverter.
14. Installation period is 2 -4 weeks after placing order.
15. Two more companies namely Tata BP and Environ Energy are sending their technical representative to Amarkantak to carry out a survey and their quotations will be received after that.
16. The system is largely maintenance free barring for regular cleaning of the PV panels. This regular cleaning increases the efficiency of the panels.
17. The various quotes are ranging from Rs. 8 – 11,00,000/-. These figures are without any negotiations which will further reduce the cost slightly.
18. The life of solar panels is between 30-50 years and the life of the battery is between 4-8 years. The batteries can be reconditioned after that and do not necessarily have to be replaced.

If you think this is viable and after receiving your go ahead, we shall start negotiations with the vendors and after finalizing the vendor come to Amarkantak with a representative from the company for a final survey. If you have any other query or wish us to look at any other detail please let us know.

With regards,



Himansu Dugar

Encl:- 1. Quotation of M/s Kotak Urja Pvt. Ltd.  
2. Quotation of M/s USL

Quote of M/s USL

(48) आवर्तनशील ऊर्जा - कानपुर

Page 1-3



## UDHAYA SEMICONDUCTORS LIMITED

Regd Office : 1/482 AVANASHI ROAD, NEELAMBUR POST, COIMBATORE-641 062. INDIA

Phone : +91-422-2627545 / Fax : +91-422-2628504 / Website : www.uslsolar.com

Ref: USL/2009/SPP/20HRS/01

23.06.2009.

Dear Sir,

We are pleased to quote based on your indicated requirements for your pilot project in Amarkantak, (District) Anuppur, Madhya Pradesh as of below:-

### Technical Load Details: TOTAL REQUIREMENTS

| Appliance | Qty | Watts (Volts x Amps) | Hrs/Day | Watt Hrs/Day |
|-----------|-----|----------------------|---------|--------------|
| Fans      | 6   | 50                   | 18      | 5400         |
| Fans      | 6   | 50                   | 8       | 2400         |
| CFL       | 15  | 15                   | 4       | 900          |
| Fridge    | 1   | 150                  | 20      | 3000         |
|           |     |                      |         |              |

Total Watt Hrs Per Day: 11700

Total Kilowatt Hrs Per Month (30 Days): 351

Solar PV Module Sizing (Based on 5.5Hrs of Sun Shine per Day per sq.m.)

Based on Above in your location, the total wattage of Solar Panels that you need is: 2765

Recommended DC Side System Voltage(V) 96

Solar PCU Charge Controller Sizing

Based on chosen system voltage & PV Module, you need atleast Current(Amps) : 30

Battery Bank Capacity (Ah) 300

Battery Bank Voltage (V) 96

### We quote below the Recommend System :-

| Product                                          | Qty | Unit Price  | VAT/CST @ 4% | Nett. Price Rs. |
|--------------------------------------------------|-----|-------------|--------------|-----------------|
| Solar PV Module 2.88kW/96V(24pcsX120Wp)          | 1   | 3,88,800.00 | 15,552.00    | 4,04,352.00     |
| Solar PCU 2kW with CC                            | 1   | 39,696.84   | 1,587.87     | 41,284.71       |
| *Battery Bank Capacity 96V/316Ah                 | 1   | 2,56,000.00 | 10,240.00    | 2,66,240.00     |
| PV Module Mounting Hardware Wiring Materials,etc | 1   | 86,400.00   | 3,456.00     | 89,856.00       |
| Installation, Commissioning .                    | 1   |             |              | 1,20,259.91     |
| Civil Works Extra                                |     |             |              |                 |
| Transportation Extra                             |     |             |              |                 |

\*Battery Bank Warranty - 5Years(60 Months), System Warranty - 1Year(12 Months)

Total Amount Ex-Factory, Coimbatore : Rs. 9,21,993

AMC Charges per Year After Warranty Period : Rs. 10,022

We look forward for the pleasure of receiving your orders.


Yours Faithfully,

Authorised Signatory.  
Electronic Copy, Hence No Signature

# Solar Photovoltaic Modules

**USP110 / USP120 / USP130 / USP140**

*UPL Solar modules provides cost-effective photovoltaic power for general use, operating DC directly or, in an inverter-equipped system, AC loads. The 36 cells in series provides 110W, 120W, 130W & 140 watts of maximum power, it is used primarily in utility grid-supplemental systems, telecommunications, remote villages and clinics, pumping and load-based aids to navigation.*



**P6**

**S**

**E**


**R**

**I**

**E**

**S**

*Polycrystalline  
Modules*



### Electrical and Mechanical Data

| Model                                           | USP110          | USP120          | USP130          | USP140          |
|-------------------------------------------------|-----------------|-----------------|-----------------|-----------------|
| Maximum power (P <sub>max</sub> )               | 110Wp           | 120Wp           | 130Wp           | 140Wp           |
| Open Circuit Voltage (V <sub>oc</sub> )         | 21.5 V          | 21.5 V          | 21.8 V          | 21.8 V          |
| Maximum power point voltage (V <sub>mpp</sub> ) | 17.1 V          | 17.1 V          | 17.3 V          | 17.3 V          |
| Short circuit current (I <sub>sc</sub> )        | 7.20 A          | 7.85 A          | 8.42 A          | 9.07 A          |
| Maximum power point current (I <sub>mpp</sub> ) | 6.44 A          | 7.02 A          | 7.52 A          | 8.10 A          |
| Tolerance                                       | ±10%            | ±10%            | ±10%            | ±10%            |
| Cell Size (mm)                                  | 156 X 156       | 156 X 156       | 156 x 156       | 156 X 156       |
| No. of cells                                    | 36              | 36              | 36              | 36              |
| Dimensions (mm) ± 1                             | 1480 x 665 x 35 | 1480 x 665 x 35 | 1480 x 665 x 35 | 1480 x 665 x 35 |
| Maximum system voltage                          | 750             | 750             | 750             | 750             |
| Temperature co-efficient                        | NOCT (°C)45     | NOCT (°C)45     | NOCT (°C)45     | NOCT (°C)45     |
| $\frac{dV}{dT}$ (Voc) (mV/°C)                   | - 105           | - 105           | - 105           | - 105           |
| $\frac{dI}{dT}$ (Isc) (mA/°C)                   | - 0.32          | - 0.32          | - 0.32          | - 0.32          |
| $\frac{dP}{dT}$ (P <sub>max</sub> ) (%/°C)      | - 0.45          | - 0.45          | - 0.45          | - 0.45          |
| Weight (kgs)                                    | 10              | 10              | 10              | 10              |

Standard Test Condition : Irradiance 1,000 W/sq.m, Temperature 25deg C Air mass 1.5 spectrum)

### Proven Materials and Construction

UPL experience shows in every aspect of this module's construction and materials

- ❖ Anodized aluminum frame offers required strength and allows for quick and easy installation on standard array structures.
- ❖ 36 Crystalline silicon solar cells in series with by pass diode installed.
- ❖ Modules are laminated in toughened low iron content PV grade glass – Ethyl Vinyl Acetate films – PV module back sheet.
- ❖ Optimized lamination process parameters ensure a stable laminate. Junction Box with PG Cable glands and bypass diodes are standard in all modules.
- ❖ Each module is flash tested in a Sun simulator to ensure conformity to specification.

### USL Photovoltaics Pvt Ltd

Coimbatore : 641 014. INDIA.

Phone : +91 422 2627851 Fax : +91 422 2628504

Email : [info@uslpv.com](mailto:info@uslpv.com) Web site : [www.uslpv.com](http://www.uslpv.com)

© 2007 USL Photovoltaics Pvt Ltd. All rights reserved.  
Subject to change without prior notice.

KUPL/MKTG/08-09/Q-055

23<sup>th</sup> June 2009

**M/s. Dekulture Music Pvt Ltd.,  
MUMBAI**

**Kind Attn: Mr. Sambhav Bohra**

Dear Sir,

**Sub: Break Up Offer for Solar Power Plant.**

**Ref: Your enquiry on the same.**

This has reference to the discussions the undersigned had with your goodselves with regards to the evaluation and submission of our offer for Solar Power Plant to be installed at Madhya Pradesh.

We take great pleasure in introducing ourselves and our latest and most modern technology adapted to tap solar energy for heating & lighting applications. We at **Kotak Urja Private Limited** are providing solar systems for application in various areas of industry and households. The systems are being recognized for its quality & performance aspects across the user segment. The solar Photovoltaic / thermal products have following distinct advantages:

- **Solar Stand alone systems**
- **Maintenance free**
- **Free from messy cables**
- **Reliable and sturdy**
- **Pollution free & Environment friendly**
- **No running cost**
- **No dependency on EB/DG sets.**

We have the capability, confidence, technical excellence, and determination and manufacturing base to give you the best system.

**We attach great stress on**

- ✓ Total Quality Management. Our solar collectors are **the best.**
- ✓ Only & First Company in India to be accredited with **ISO 9001 Certification** for Solar Thermal Products and Photovoltaic Products,
- ✓ Efficient after sales service net work to give customer total satisfaction.
- ✓ Our SPV Lanterns, Indoor Lighting systems and Street lighting system has been tested **MNES** approved Test Centre – as per their stringent test conditions.
- ✓ Our solar thermal systems carry the ISI mark bearing BIS approval no. **CM/L 6144761.**
- ✓ Our system analysis and design is done using latest solar radiation and design packages.

Kotak Urja Private Limited is a **Kotak Group** undertaking who have diverse interests in Finance, Textile raw materials, Exports and Imports, Chemicals, Agri-products, etc. A MOU has also been entered into by the company with leading US and Canada based firm, M/s Conservall Engineering Inc., who are the world leaders over the past 17 years in various solar heating applications with specialization in Air Heating and Space Heating. The technology is patented in US, Canada, Europe and under process for patent in India.

2

**KOTAK URJA PRIVATE LIMITED**

We have already established ourselves as the top manufacturer of quality products in the field of solar energy. We have distinguished ourselves by ensuring the reliability and optimum service of our products to the full satisfaction of the users. We have with us an efficient design and well equipped service departments who ensure top of the line quality & service.

**Our range of products cover application areas as:**

1. "KOTAKSUN" Solar domestic water heaters.
2. "KOTAKSUN" Solar industrial Heating Systems: for supply of hot water for bathing, cleaning, washing, cooking in hotels, hostels, houses, dormitories, canteens, kitchens, boiler feed water, process feed water etc.
3. "KOTAKSUN" Swimming Pool Heating systems
4. "SOLARWALL" Solar Drying Systems
5. "SOLARWALL" Effluent Evaporation systems
6. "SOLARWALL" Space Heating Systems
7. "KOTAKSUN" Solar Water Pasteurizers.
8. "KOTAKSUN" Solar Photovoltaic Systems – Solar Streetlight, Indoor lights, Garden lights, compound lighting, home lighting, Solar Lanterns etc.
9. "KOTAKSUN" Solar Pumping Systems.
10. "KOTAKSUN" Solar Traffic Police Kiosk.

As per your requirement, we are herewith enclosing our offer for the following two options:

- **3 Kw Solar Power Plant with 1 day Autonomy.**

We hope the enclosed offer is in line with your requirement. Looking forward for your valuable order at the earliest.

Thanking you and with regards,  
Yours sincerely,

**Kotak Urja Private Limited**

**Shashikiran N K**  
**Assistant Manager – Marketing & Projects**

**KOTAK URJA PRIVATE LIMITED**

3

**COMMERCIAL OFFER FOR 3 KWP SOLAR POWER PLANT WITH 1 DAY AUTONOMY**

| Sl. No. | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Qty   | Total Rate in Rs.  |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------------|
| 1       | <p>Supply of <b>3 Kwp</b> Solar Power Plant</p> <p><b>Autonomy : 1 Day</b></p> <p><b>Load:</b><br/> 6 nos Fan X 50 Watt X 18 hrs Operation.<br/> 6 nos Fan X 50 Watt X 8 hrs Operation.<br/> 15 nos CFL X 15 Watt X 4 hrs Operation.<br/> 1 no Fridge X 150 Watt X 20 hrs Operation.</p> <p><b>BREAK UP COSTING</b></p> <p><b>1) SPV Module Array</b> : Rs.5,07,000.00<br/> <b>2) Battery</b> : Rs.1,65,410.00<br/> <b>3) Inverter &amp; Charge Controller</b> : Rs. 45,290.00<br/> <b>4) Module Mounting Structure &amp; Battery Rack</b> : Rs. 37,700.00<br/> <b>5) Cables &amp; other Accessories</b> : Rs. 25,100.00<br/> <b>6) Installation &amp; Transportation</b> : Rs. 31,000.00</p> | 1 Set | 8,11,500.00        |
|         | CST @ 2% against Form 'C'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |       | 16,230.00          |
|         | <b>TOTAL</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       | <b>8,27,730.00</b> |

**(Rupees Eight Lakh Twenty Seven Thousand Seven Hundred and Thirty only)****Note:** 1) Transportation And Installation Included in the Offer.**Technical Specifications:**

|                                          |   |                       |
|------------------------------------------|---|-----------------------|
| SPV Module Array                         | : | 48 V, 3 KWp – 1 Set.  |
| Battery                                  | : | 2 V, 450 Ah X 24 nos. |
| Inverter                                 | : | 48 V 2 KVA-1 no       |
| Charge Controller                        | : | 60 Amps – 1 No.       |
| Module Mounting Structure & Battery Rack | : | 1 Set                 |
| Cables & other Accessories               | : | 1 Set                 |

**Kotak Urja Private Limited**

**Shashikiran N K**  
**Assistant Manager – Marketing & Projects**

## **KOTAK URJA PRIVATE LIMITED**

### **TERMS & CONDITIONS**

- **Validity of offer:** Prices quoted are firm and generally valid for 30 days from date of offer. After this prices are subject to reconfirmation.
- **Sales Tax:** Presently VAT @ 4% extra will be charged. if VAT is not applicable, CST @ 2% (if form "C" is given) or 4% (if form "C" is not given.) will be charged extra.
- **Service Tax:** Presently Service tax @ 10.3% will be charged extra on installation and commissioning charges.
- **Taxes / Levies:** If any further applicable at the time of invoicing will be charged extra. This quotation as well as arising contract is subject to the sole right of Kotak Urja on Carbon Credits, Kotak Urja is committed in protecting the environment.
- **Octroi & Works Contract tax:** Extra if applicable during the time of billing & dispatch.
- **Delivery:** Generally 2 - 3 weeks from the date of receipt of technically and commercially clear order and site clearance whichever is later (until and unless specified in our offer sheet.)
- **Installation & Transportation charges:** Included in our offer.
- **Payment terms:** 100% advance along with the Purchase Order. (until & unless specified in our offer sheet)
- **Force Majeure clause :** This quotation as well as the resulting contract are subject to the standard force majeure condition.
- **Guarantee :** 12 months for the entire system from the date of completion of delivery.  
 (Glass panel / Glass tubes is excluded in case of solar water heating system)  
 10 years performance warranty for the solar modules and 1 year for the battery/electronics from the date of supply.

### **Annual Maintenance charges (AMC)**

We undertake to provide the following:

- After the initial one-year guarantee period, we shall take up the Annual Maintenance contract (AMC).
- Under AMC we shall charge 4% of order value annually payable at the beginning of the year. (Non comprehensive without spares). Spares will be charged extra as per the list enclosed.
- It shall be our responsibility to keep the systems in good working condition.
- Breakables generally such as glass are excluded from this contract in case of Solar Thermal collectors. These shall be payable extra.

We assure you the best system in terms of quality and reliability and hope to receive your valued order on us.

**Kotak Urja Private Limited**


**Shashikiran N K**  
**Assistant Manager – Marketing & Projects**

1. फलौटिंग टरकाइज
2. पशुआलित पंप


08:58 07 01

# पांचाल पशु चलित पम्प

FLAT PULLEY



DRIVING/DISCHARGE UNIT



DISCHARGE

PAGE: 02

408758

07672

21001

शमभिया

PAGE: 03

BOBBIN BEARING  
BOBBIN BEARING  
SHAFT  
JOINT COUPLING



DEPT. IN WATER LEVEL


SUCTION PIPE

FLEXI SHAFT

STABILIZER

PUMP UNIT  
[ ROTOR  
STATOR ]

FOOT VALVE



दुरुस्ती-लगाय शर्मा  
कानपुर

## PANCHAL PUMPS & SYSTEMS






DIAGRAM OF CATTLE POWER PUMP  
WITH DRIVE DEVICE

# Floating Turbine by Dr. Dutta

(48) आवर्तनशील ऊर्जा - कानपुर\_c






TOTAL No. of SHEETS - 19

SHEET No. 18 (18)

18/19

M.N. DUTTA  
00240/kol/2003 25<sup>th</sup> Apr 2003



WATER WHEEL WITH SHAFT

DATED-GUWAHATI  
25/04/2004


(48) आदर्श नशील ऊर्जा - कानपुर\_c


Signature

*M N Dutta*

(MAHENDRA NATH DUTTA)


Fig18





FLOATING WATER WHEEL TURBINE

# DISSAMBLY OF FLOATING WATERWHEEL TURBINE




TOTAL NO OF SHEETS = 19  
SHEET No. = 14

14/19

M.N.DUTTA

U0240/kol/2003 25<sup>th</sup> Apr 2003



Isometric view of assembly of main part of FDPP.

Fig. 14

Signature

(Mohendra Nath Dutta)

Dated, Guwahati 27.03.2003

TOTAL No. of SHEETS - 19


SHEET No.: 17

17/19


M.N. DUTTA

00240/kol/2003 25<sup>th</sup> Apr 2003

TOP



ANGLE IRON FRAME



FLOAT(RIGHT HAND SIDE)

Signature

(MAHENDRA NATH DUTTA)





Fig17

DATED-GUWAHATI  
25/04/2004

TOTAL NO OF SHEETS = 19  
SHEET No. = 15

15/19

M.N.DUTTA  
00240/kol/2003 25<sup>th</sup> Apr 2003



SLIDING BLADE CONTROL OF TURBINE BLADES

WINDOW CONTROL SYSTEM OF BLADES

Signature

(Mohendra Nath Dutta)


Fig 15

Dated, Guwahati 27.03.2003

TOTAL NO. OF SHEETS=19  
SHEET NO.=19

19/19

M.N. DUTTA  
00240/kol/2003 25<sup>th</sup> Apr 2003



SIGNATURE

(MAHENDRA NATH DUTTA)

**DETAILS OF RECIPROCATING PUMP, PELTON WHEEL  
ALTERNATOR AND WATER WHEEL ASSEMBLY**

Fig: 19

DATED, GUWAHATI, 25.4.2003

M.N.DUTTA

16/19


TOTAL No. of SHEET- 19  
SHEET No. 1600240/kol/2003 25<sup>th</sup> Apr 2003

Fig. 16

**POWER TRANSMISSION SYSTEM**

Signature

DATED, GUWAHATI  
27/10/2003

(MAHENDRA NATH DUTTA)